

- Small bending radius
- Wide range of accessories
- Luminaire direction adjustment
- Possibility to use current modules with efficiency up to 190lm/W and CRI>90. Available upon request.

APPLICATION

- main, decorative and functional lighting


MOUNTING

- suspended, to the surface or recessed, using dedicated accessories, properly selected screws or a dedicated mounting track
- can be easily connected into runs and systems
- easy assembly and disassembly by snapping in and out

ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ
- NCS Premium paint option - minimum order quantity 30pcs - available immediately

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Possible fixture IP	20, 67
Possible fixture shapes	linear, polygonal, round
Profile cross-section	rectangular
Width	26.2 mm
Height	14.5 mm
LED gluing width A	24 mm
Number of LED strips A (8 mm wide)	2
Width of the glow	22 mm
Max power of a single KLUŚ LED strip	24 W/m
Lighting angle adjustment from	0
Lighting angle adjustment up to	150
Possibility of obtaining a line of light	yes
Possibility of bending	yes
Radius of the light arc	yes
Inward	240 mm
Outdoor	240 mm


Color	Kolor Premium	Length	Ref
■ silver anodized	no	1000 mm	A00758A_1
		2005 mm	A00758A_2
		3010 mm	A00758A_3
□ white lacquered	no	1000 mm	A00758L100D_1
		2005 mm	A00758L100D_2
		3010 mm	A00758L100D_3
■ black anodized	no	1000 mm	A00758A07_1
		2005 mm	A00758A07_2
		3010 mm	A00758A07_3
■ caramel (NCSS3030-Y60R) lacquered	yes	2005 mm	A00758L140D_2
■ sand (NCSS2010-Y30R) lacquered	yes	2005 mm	A00758L110D_2
■ pastel blue (NCSS2010-B) lacquered	yes	2005 mm	A00758L130D_2
■ light sage (NCSS2010-G50Y) lacquered	yes	2005 mm	A00758L120D_2

Profile GIZA-LL



Ref. A00758

Building type	Entertainment/ Arts, HoReCa object, Commercial, Retail
Facility zone	office, lobby / foyer, conference room, communication routes and corridors
Easy assembly and disassembly by snapping in and out	yes
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes
Wire out back of extrusion	yes

SAMPLE PROJECTS



REFERENCE SHAPES



RELATED PROFILES > ARCHITECTURAL




GIZA-LL-T
A02479




GIZA-LL-UST
A02724N


RELATED PROFILES > MOUNTING TRACKS



TEKNIK-ZM-TK
A01554



TEKUS
A06638V



TEKUS-ZM
A01293

RELATED ACCESSORIES > COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
Focusing cover DILENSO-22 30°DEG	PC	63 %	semi-transparent	B17173T
Cover HS-22	PC	65 %	frosted	B17011F
		88 %	clear	B17011C
Cover LIGER-22	PC	22 %	black	B17032B
		70 %	satin	B17032S
Cover G-22R	PMMA	20 %	black	B17006B
		71 %	satin	B17006S
		89 %	semi-transparent	B17006T
		94 %	clear	B17006C
Cover G-22S	PMMA	15 %	black	B17013B
		86 %	satin	B17013S
		89 %	semi-transparent	B17013T

RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
End cap GIZA-LL	ABS	black	C24281C07
		caramel (NCSS3030-Y60R)	C24281L14
		gray	C24281C02
		light sage (NCSS2010-G50Y)	C24281L12
		pastel blue (NCSS2010-B)	C24281L13
		sand (NCSS2010-Y30R)	C24281L11
		white	C24281C10

RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM



K-27T50-1440-24
K-27T50-1440-24



KWP-27T50-1440-24
KWP-27T50-1440-24

RELATED ACCESSORIES > RELATED LED > BENDABLE



K-BTRGB40-1510-24
K-BTRGB40-1510-24




K-VBT-0720-24
K-VBT-0720-24




K-BT-0910-24
K-BT-0910-24


RELATED ACCESSORIES > RELATED LED > CRI 95+




K-CR-0480-24
K-CR-0480-24



K-CR-0960-24
K-CR-0960-24



K-CR-1440-24
K-CR-1440-24



KWP-CRHD-1820-24
KWP-CRHD-1820-24



KWP-CRHD-1910-24
KWP-CRHD-1910-24




KWP-CR-0480-24
KWP-CR-0480-24



KWP-CR-0960-24
KWP-CR-0960-24

RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY



K-VHE-0480-24
K-VHE-0480-24



K-VHE-0960-24
K-VHE-0960-24



K-VHE-1440-24
K-VHE-1440-24


RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CCT




K-RGBW-1530-24
K-RGBW-1530-24



KWP-RGBW-1530-24
KWP-RGBW-1530-24



K-RGB-1920-120-24
K-RGB-1920-120-24



KWP-RGB-1920-120-24
KWP-RGB-1920-120-24



K-RGB-1200-24
K-RGB-1200-24




K-RGB-0700-24
K-RGB-0700-24



KWP-RGB27T65-1200-24
KWP-RGB27T65-1200-24

RELATED ACCESSORIES > RELATED LED > WHITE MONO




K-1910-HD-24
K-HD-1910-24



KWP-1220-24
KWP-1220-24




K-2300-24
K-2300-24




K-0480-24
K-0480-24




K-0960-24
K-0960-24



K-1440-24
K-1440-24



K-2400-24
K-2400-24



K2-1920-24
K2-1920-24



K3-2880-24
K3-2880-24




K-HD-0480-24
K-HD-0480-24



K-HD-0960-24
K-HD-0960-24




K-HD-1440-24
K-HD-1440-24




KWP-HD-1910-24
KWP-HD-1910-24



KWP-1440-24
KWP-1440-24



KWP-0480-24
KWP-0480-24



KWP-0960-24
KWP-0960-24



KWP-GHD-0480-24
KWP-GHD-0480-24



KWP-GHD-0960-24
KWP-GHD-0960-24



KWP-GHD-1440-24
KWP-GHD-1440-24

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > ADDITIONAL ITEMS



ADAPTER
DILENSO
E62145

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CANOPIES



CANOPIE
Fi-60mm
C24540

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES



HEAD
BZP-ZO
42214



FASTENER
DP-ZO
00649



FASTENER
DP-ZZ
00651



FASTENER
OS22-LIN-Z
C28184L07, C28184L10



FASTENER
OS22-DUO-LIN-Z
C28183L07, C28183L10



FASTENER
OS22-PRET-Z
C28186L07, C28186L10



FASTENER
OS22-DUO-PRET-Z
C28185L07, 42343L9010



FASTENER
FI-8-LIN-ZMZ
C28171N00, C28171L10,
C28171L07



FASTENER
PUSZ-LIN-MR
C28163N00, C28163L10,
C28163L07



FASTENER
PUSZ-LIN-ZD
C28164N00, C28164L10,
C28164L07

Profile GIZA-LL

Ref. A00758




FASTENER
PUSZ-LIN-ZM
C28160N00, C28160L10,
C28160L07



FASTENER
PUSZ-PRET-ZM
C28161N00, C28161L10,
C28161L07



FASTENER
PUSZ-PRET-MR
C28166N00, C28166L10,
C28166L07



NEW
FASTENER
PUSZ-ZM
C20010


RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS



CONNECTOR
ZM




CONNECTOR
ZM-MINI
44501, C28083N00



CONNECTOR
ZM-Y



CONNECTOR
ZM-X




CONNECTOR
ZM-T




CONNECTOR
ZM-PION


RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > COUPLERS




COUPLER
L135
L135




COUPLER
L135PW
L135PW



COUPLER
L135PZ
L135PZ




COUPLER
L90
L90




COUPLER
L90PW
L90PW

Profile GIZA-LL


Ref. A00758




COUPLER
L90PZ
L90PZ




COUPLER
T135L
T135L




COUPLER
T135R
T135R



COUPLER
T90
T90



COUPLER
X135
X135



COUPLER
X90
X90

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > FASTENERS AND HEADS FOR PROFILES




FASTENER
DP
00644



FASTENER
FI-8-LIN-ZM
C28170N00, C28170L10,
C28170L07



FASTENER
FI-10-ZM-P
C28117N00



FASTENER
UCHO-ZM
C28192N00, C28192L07



FASTENER
FI-8-PRET-ZM
C28189

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > LATCHES



LATCH
TEKNIK
C24003C10

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > MOUNTING BRACKETS




MOUNTING BRACKET
GIP-STN
C24447N00



MOUNTING BRACKET
GIP
C24310C02, C24328C07



MOUNTING BRACKET
REGIP
C28057C02



MOUNTING BRACKET
AM-24
C24235N00



FASTENER SET
NEO-ZM-3
C28105N00



FASTENER SET
NEO-ZM-PLUS-3
C28107N00



FASTENER SET
NEO-ZM-4
C28106N00




FASTENER SET
NEO-ZM-PLUS-4
C28108N00



MOUNTING BRACKET
GIP-STN-90D
C20002



MOUNTING BRACKET
GIP-STN-90G
C20001



MOUNTING BRACKET
DS
C28096

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



GLAND
M8x1
C42265N00



GLAND
M10x1
C28275N00



HERMETIC COUPLER
THB.391.A4A, 4 pin
C42268C10



HERMETIC COUPLER
THB.381, 2pin
C28125C07



HERMETIC COUPLER
THB.391.A5A, 5 pin
C28156C07




JOINT CONNECTOR
THB.200.E5E, 5 pin
C28157C07

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > PROFILE MASKING COVERS




MASKING COVER
MP-22
C28261L01_0.25,
C28261L10_0.25,
C28261L07_0.25

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SURFACE SPRINGS




SPRING
GP
C24500N00

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SUSPENSION AND MOUNTING SETS



FASTENER
ZM-150
42118



FASTENER
ZM-500
42119



FASTENER SET
RD-1
C28231



FASTENER SET
RG-1
C28230P00, C28230P01,
C28230L10, C28230L07



FASTENER SET
RD-2
C28232P00, C28232P01,
C28232L10, C28232L07

Profile GIZA-LL

Ref. A00758




FASTENER SET
RD-3
C28233P00, C28233P01,
C28233L10, C28233L07




FASTENER SET
RD-4
C28234P00, C28234P01,
C28234L10, C28234L07



FASTENER SET
W1
C28203N00




FASTENER SET
W2
C28204N00




FASTENER SET
W6
C28205N00




FASTENER SET
W7
42605




FASTENER SET
M12
42610




FASTENER SET
M13
42611




FASTENER SET
FI-8-ZM-1
C28134



FASTENER SET
FI-8-ZM-2
C28135



FASTENER SET
PUSZ-ZM-1
C28130



FASTENER SET
PUSZ-ZM-2
C28131

RELATED ACCESSORIES > ELECTRONICS > SWITCHES



UNI-11
E61603



UNI-P
E61580